



**NET'GUARD ULTRA 4 EN 1 - 1352**

**SAFETY DATA SHEET**

(REACH regulation (EC) n° 1907/2006 - n° 2015/830)

**SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**

**1.1. Product identifier**

Product name : NET'GUARD ULTRA 4 EN 1  
Product code : 1352.

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

Cleaning product Professional use.

**1.3. Details of the supplier of the safety data sheet**

Registered company name : GUARD INDUSTRIE S.A.S..  
Address : 7 Rue Gutenberg,93100.Montreuil.France.  
Telephone : 0155861760. Fax : 0148581689.  
info@guardindustrie.com  
www.guardindustrie.com

**1.4. Emergency telephone number : +33 (0)1 45 42 59 59.**

Association/Organisation : INRS / ORFILA <http://www.centres-antipoison.net>.

**SECTION 2 : HAZARDS IDENTIFICATION**

**2.1. Classification of the substance or mixture**

**In compliance with EC regulation No. 1272/2008 and its amendments.**

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present a health hazard with the exception of possible occupational exposure thresholds (see paragraphs 3 and 8).

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

**2.2. Label elements**

Detergent mixture (see section 15).

**In compliance with EC regulation No. 1272/2008 and its amendments.**

Additional labeling :

**2.3. Other hazards**

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC)  $\geq 0.1\%$  published by the European Chemicals Agency (ECHA) under article 57 of REACH: <http://echa.europa.eu/fr/candidate-list-table>

The mixture fulfils neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

**SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS**

**3.2. Mixtures**

**Composition :**

Identification	(EC) 1272/2008	Note	%
INDEX: 011-005-00-2 CAS: 497-19-8 EC: 207-838-8 SODIUM CARBONATE	GHS07 Wng Eye Irrit. 2, H319		2.5 $\leq$ x % < 10



**NET'GUARD ULTRA 4 EN 1 - 1352**

INDEX: 1350 1 CAS: 68585-34-2 EC: 500-223-8 REACH: 01-2119488639-xxxx  C10-C16 ALKYL ETHOXY SULFATE DE SODIUM	GHS05 Dgr Skin Irrit. 2, H315 Eye Dam. 1, H318		2.5 <= x % < 10
--	---	--	-----------------

(Full text of H-phrases: see section 16)

**SECTION 4 : FIRST AID MEASURES**

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

**4.1. Description of first aid measures**

**In the event of splashes or contact with eyes :**

Wash immediately and thoroughly with water during 15 minutes. Consult a doctor.

Remove contact lenses

**In the event of splashes or contact with skin :**

Wash immediately and thoroughly with water. Take off the sullied clothes. In case of persisting irritation, seek for medical attention. Wash sullied clothes before using them again.

**In the event of swallowing :**

Seek medical attention, showing the label.

**4.2. Most important symptoms and effects, both acute and delayed**

No data available.

**4.3. Indication of any immediate medical attention and special treatment needed**

No data available.

**SECTION 5 : FIREFIGHTING MEASURES**

Non-flammable.

**5.1. Extinguishing media**

**5.2. Special hazards arising from the substance or mixture**

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed :

- carbon monoxide (CO)
- carbon dioxide (CO<sub>2</sub>)

**5.3. Advice for firefighters**

No data available.

**SECTION 6 : ACCIDENTAL RELEASE MEASURES**

**6.1. Personal precautions, protective equipment and emergency procedures**

Consult the safety measures listed under headings 7 and 8.

**For first aid worker**

First aid workers will be equipped with suitable personal protective equipment (See section 8).

**6.2. Environmental precautions**

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

**6.3. Methods and material for containment and cleaning up**

Clean preferably with a detergent, do not use solvents.



**NET'GUARD ULTRA 4 EN 1 - 1352**

---

**6.4. Reference to other sections**

No data available.

---

**SECTION 7 : HANDLING AND STORAGE**

Requirements relating to storage premises apply to all facilities where the mixture is handled.

**7.1. Precautions for safe handling**

Always wash hands after handling.

**Fire prevention :**

Prevent access by unauthorised personnel.

**Recommended equipment and procedures :**

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

**Prohibited equipment and procedures :**

No smoking, eating or drinking in areas where the mixture is used.

**7.2. Conditions for safe storage, including any incompatibilities**

No data available.

**Storage**

Keep out of reach of children.

**Packaging**

Always keep in packaging made of an identical material to the original.

**7.3. Specific end use(s)**

No data available.

---

**SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION**

**8.1. Control parameters**

No data available.

**Derived no effect level (DNEL) or derived minimum effect level (DMEL):**

C10-C16 ALKYL ETHOXY SULFATE DE SODIUM (CAS: 68585-34-2)

**Final use:**

Exposure method:  
Potential health effects:  
DNEL :

**Workers.**

Dermal contact.  
Long term systemic effects.  
2750 mg/kg body weight/day

Exposure method:  
Potential health effects:  
DNEL :

Inhalation.  
Long term systemic effects.  
175 mg of substance/m3

**Final use:**

Exposure method:  
Potential health effects:  
DNEL :

**Consumers.**

Ingestion.  
Long term systemic effects.  
15 mg/kg body weight/day

Exposure method:  
Potential health effects:  
DNEL :

Dermal contact.  
Long term systemic effects.  
1650 mg/kg body weight/day

Exposure method:  
Potential health effects:  
DNEL :

Inhalation.  
Long term systemic effects.  
52 mg of substance/m3



**NET'GUARD ULTRA 4 EN 1 - 1352**

SODIUM CARBONATE (CAS: 497-19-8)

**Final use:**

Exposure method:  
Potential health effects:  
DNEL :

**Workers.**

Inhalation.  
Long term local effects.  
10 mg of substance/m<sup>3</sup>

**Final use:**

Exposure method:  
Potential health effects:  
DNEL :

**Consumers.**

Inhalation.  
Long term local effects.  
10 mg of substance/m<sup>3</sup>

**Predicted no effect concentration (PNEC):**

C10-C16 ALKYL ETHOXY SULFATE DE SODIUM (CAS: 68585-34-2)

Environmental compartment: Soil.  
PNEC : 0.946 mg/kg

Environmental compartment: Fresh water.  
PNEC : 0.24 mg/l

Environmental compartment: Sea water.  
PNEC : 0.024 mg/l

Environmental compartment: Intermittent waste water.  
PNEC : 0.071 mg/l

Environmental compartment: Fresh water sediment.  
PNEC : 5.45 mg/kg

Environmental compartment: Marine sediment.  
PNEC : 0.545 mg/kg

Environmental compartment: Waste water treatment plant.  
PNEC : 10000 mg/l

**8.2. Exposure controls**

**Personal protection measures, such as personal protective equipment**

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

**- Eye / face protection**

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

**- Hand protection**

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

**- Body protection**

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.



**NET'GUARD ULTRA 4 EN 1 - 1352**

---

**SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES**

**9.1. Information on basic physical and chemical properties**

**General information :**

Physical state : Fluid liquid.

**Important health, safety and environmental information**

pH : 10.50 +/- 0.5.  
Slightly basic.

Boiling point/boiling range : Not specified.

Flash point interval : Not relevant.

Vapour pressure (50°C) : Not relevant.

Density : > 1

Water solubility : Soluble.

Viscosity:  $v < 7 \text{ mm}^2/\text{s}$  (40°C)

Melting point/melting range : Not specified.

Self-ignition temperature : Not specified.

Decomposition point/decomposition range : Not specified.

**9.2. Other information**

No data available.

---

**SECTION 10 : STABILITY AND REACTIVITY**

**10.1. Reactivity**

No data available.

**10.2. Chemical stability**

This mixture is stable under the recommended handling and storage conditions in section 7.

**10.3. Possibility of hazardous reactions**

No data available.

**10.4. Conditions to avoid**

Avoid :  
- frost

**10.5. Incompatible materials**

No data available.

**10.6. Hazardous decomposition products**

The thermal decomposition may release/form :  
- carbon monoxide (CO)  
- carbon dioxide (CO<sub>2</sub>)

---

**SECTION 11 : TOXICOLOGICAL INFORMATION**

**11.1. Information on toxicological effects**

No data available.

**11.1.1. Substances**

**Acute toxicity :**

C10-C16 ALKYL ETHOXY SULFATE DE SODIUM (CAS: 68585-34-2)  
Oral route : LD50 > 2000 mg/kg  
OECD Guideline 401 (Acute Oral Toxicity)

**Skin corrosion/skin irritation :**

C10-C16 ALKYL ETHOXY SULFATE DE SODIUM (CAS: 68585-34-2)  
Corrosivity : No observed effect.



**NET'GUARD ULTRA 4 EN 1 - 1352**

---

Irritation : Species : Rabbit  
OECD Guideline 404 (Acute Dermal Irritation / Corrosion)  
Effect observed : Overall irritation score  
Causes skin irritation.  
2.3 <= Average score <= 4.0  
Species : Rabbit  
OECD Guideline 404 (Acute Dermal Irritation / Corrosion)

**Serious damage to eyes/eye irritation :**

C10-C16 ALKYL ETHOXY SULFATE DE SODIUM (CAS: 68585-34-2)

Causes serious eye damage.

Corneal haze :

Average score >= 3

Species : Rabbit

OECD Guideline 405 (Acute Eye Irritation / Corrosion)

Iritis :

Average score > 1.5

Species : Rabbit

OECD Guideline 405 (Acute Eye Irritation / Corrosion)

The substance produces at least in one animal effects on the conjunctiva that are not expected to reverse or have not fully reversed within an observation period of normally 21 days.

Species : Rabbit

OECD Guideline 405 (Acute Eye Irritation / Corrosion)

The substance produces at least in one animal effects on the conjunctiva that are not expected to reverse or have not fully reversed within an observation period of normally 21 days.

Species : Rabbit

OECD Guideline 405 (Acute Eye Irritation / Corrosion)

**Germ cell mutagenicity :**

C10-C16 ALKYL ETHOXY SULFATE DE SODIUM (CAS: 68585-34-2)

No mutagenic effect.

**Carcinogenicity :**

C10-C16 ALKYL ETHOXY SULFATE DE SODIUM (CAS: 68585-34-2)

Carcinogenicity Test :

Negative.

No carcinogenic effect.

**Reproductive toxicant :**

C10-C16 ALKYL ETHOXY SULFATE DE SODIUM (CAS: 68585-34-2)

No toxic effect for reproduction

**11.1.2. Mixture**

No toxicological data available for the mixture.



**NET'GUARD ULTRA 4 EN 1 - 1352**

---

**SECTION 12 : ECOLOGICAL INFORMATION**

**12.1. Toxicity**

**12.1.1. Substances**

C10-C16 ALKYL ETHOXY SULFATE DE SODIUM (CAS: 68585-34-2)  
Fish toxicity : 10 < LC50 <= 100 mg/l  
Duration of exposure : 96 h

**12.1.2. Mixtures**

No aquatic toxicity data available for the mixture.

**12.2. Persistence and degradability**

**12.2.1. Substances**

C10-C16 ALKYL ETHOXY SULFATE DE SODIUM (CAS: 68585-34-2)  
Biodegradability : Rapidly degradable.

**12.3. Bioaccumulative potential**

No data available.

**12.4. Mobility in soil**

No data available.

**12.5. Results of PBT and vPvB assessment**

No data available.

**12.6. Other adverse effects**

No data available.

**German regulations concerning the classification of hazards for water (WGK, AwSV vom 18/04/2017, KBws) :**

WGK 1 : Slightly hazardous for water.

---

**SECTION 13 : DISPOSAL CONSIDERATIONS**

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

**13.1. Waste treatment methods**

Do not pour into drains or waterways.

**Waste :**

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

**Soiled packaging :**

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

---

**SECTION 14 : TRANSPORT INFORMATION**

Exempt from transport classification and labelling.

**14.1. UN number**

-

**14.2. UN proper shipping name**

-

**14.3. Transport hazard class(es)**

-

**14.4. Packing group**

-

**NET'GUARD ULTRA 4 EN 1 - 1352**

---

**14.5. Environmental hazards**

-

**14.6. Special precautions for user**

-

---

**SECTION 15 : REGULATORY INFORMATION**

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

**- Classification and labelling information included in section 2:**

The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 2018/1480 (ATP 13)

**- Container information:**

No data available.

**- Particular provisions :**

No data available.

**- Labelling for detergents (EC Regulation No. 648/2004,907/2006) :**

- less than 5 % : anionic surfactants

- less than 5 % : nonionic surfactants

- less than 5 % : soap

- preservation agents

**- German regulations concerning the classification of hazards for water (WGK, AwSV vom 18/04/2017, KBws) :**

WGK 1 : Slightly hazardous for water.

**15.2. Chemical safety assessment**

No data available.

---

**SECTION 16 : OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

**Wording of the phrases mentioned in section 3 :**

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

**Abbreviations :**

DNEL : Derived No-Effect Level

PNEC : Predicted No-Effect Concentration

ADR : European agreement concerning the international carriage of dangerous goods by Road.

IMDG : International Maritime Dangerous Goods.

IATA : International Air Transport Association.

ICAO : International Civil Aviation Organisation

RID : Regulations concerning the International carriage of Dangerous goods by rail.

WGK : Wassergefährdungsklasse (Water Hazard Class).

PBT: Persistent, bioaccumulable and toxic.

vPvB : Very persistent, very bioaccumulable.

SVHC : Substances of very high concern.